



INTERACTIVE WHITEBOARD

A variety of styles of interactive whiteboards, suitable for different scenarios, for you to choose.

CONTENTS

ABOUT COMPANY

- 01 / Company Profile 02 / Production Workshop
03 / Certificate of Honor 61 / Packaging and Transportation

PRODUCT INTRODUCTION

Conference/School Smart Board

- 04~17 / Product Functions 18~24 / Product Specifications
25~30 / Product Accessories 31 / Use Scenarios

Electronic Whiteboard

- 32~39 / Product Functions 40~42 / Product Specifications
43 / Product Accessories 44 / Use Scenarios

Smart Blackboard

- 45~55 / Product Functions 56~58 / Product Specifications
59 / Product Accessories 60 / Use Scenarios




COMPANY PROFILE

Committed to the development and manufacture of touch-controlled machines, promoting touch-controlled machines in education, conference industry, Building Education, conference information digital, and intelligent network. Products exported to Southeast Asia, Europe, and the United States, and other countries, business over 60 countries and regions.



PRODUCTION WORKSHOP

We are one of the senior touch product R&D, design, production and manufacturer.



CERTIFICATE OF HONOR

We have a complete product testing report. production testing certification, software copyright and other certificates.



Appearance patents



3C certificate

Inspection report




Software Copyright

CONFERENCE/SCHOOL SMART BOARD



Bring more interaction to the classroom,
a more lively classroom.

Suitable for enterprises to hold video conferences, etc.




ONE MACHINE WITH MULTIPLE FUNCTIONS

Computer, projector, curtain, set-top, box, stereo, TV, white-board, One machine has multiple functions, eliminating redundant equipment.

PRODUCT EFFECTS

Intuitively and quickly understand the product.





NEW CONCEPT CONFERENCE MACHINE

Writing fluently

Teleconference

HD screen

Efficient intelligence

WIRELESS PROJECTION SHARE IN REAL TIME

Through the screen transfer the documents on the mobile phone, tablet and computer to the smart board.

Four screen display

Bidirectional operation

0.09s

Fast screen



SAVE AND SHARE

Save at local

Scan QR code to take away

Save as JPG/PDF




REMOTE COLLABORATION AND EFFICIENT COMMUNICATION

Collaborative conference function can realize multi terminal, multi format, instant sharing remote conference mode. Information fidelity. Convenient and efficient.



20-POINT TOUCH MULTI-PERSON WRITING



Support multiple people to write at the same time, split-screen answering questions, collaborative painting.



Write



Annotation



zoom



Gesture erase

FREE ANNOTATION TO HIGHLIGHT THE KEY POINTS

Free annotation, erasing, image zooming, and quickly grasp the key points of the lesson subject.



IT IS POSSIBLE TO DRAW WITH SOFTWARE

Free control of screen, painting relaxed





GESTURE TOUCH

Support two people to operate on the screen at the same time.



1mm

Fine writing

0.5s

Fast response



GESTURE MANIPULATION

Support a variety of gestures,
making it more convenient for you to use.



Single touch



Two-point zoom



Wipe back



Custom whiteboard
background




Multi-point
movement



Handwriting color
thickness optional

DUAL SYSTEM SUPPORT

Android and windows dual system switching




Dual OS Android+Windows for option



Support multiple document formats

4K UHD DISPLAY

4K ultra high definition, brings brilliant.
resolutions for images, videos, and presentations.



PRODUCT RENDERINGS

Affordable, build a personalized interactive smart screen
For meetings and teaching in the new era of
collaboration, Smart Boards are indispensable.



FRONTAGE



SIDE



BACK

PRODUCTS SPECIFICATION

Display

DISPLAY SCREEN	55 " /65 " /75 " /86 " /98 " /110 "
PANEL BACK LIGHT	TFT-LCD Module with DLED backlight
PANEL PROTECTION	Tempered Glass; Anti-Glare glass (OPTIONAL)
HARDNESS	7H
ASPECT RATIO	16:9
COLOR	1.07B colors (10 bit)
DISPLAY AREA	1650*928mm
RESOLUTION	3840*2160
BRIGHTNESS	350cd/m2
CONTRAST	4000:1
RESPONSE TIME	5ms
VIEW ANGLE	178 ° left and right, up and down
LIFE	Over 60,000 hours

PRODUCTS SPECIFICATION

IR Touch

TOUCH TYPE	Infra-red
POINTS	20 points
RESPONSE TIME	Less than 5ms
RESOLUTION	32767 * 32767
POSITION ACCURACY	±1mm
COMMUNICATION	USB2.0
TOUCH WAY	Pen, Finger or other light-proof items
LIFE TIME	Over 60,000,000 touches

Dual OS Configuration

CPU	ARM Cortex A73*2 and A53*2, 1.5GHz
GPU	Dual core Mali-G51
RAM	3GB DDR
ROM	32GB EMMC
WIFI	IEEE802.11an 2.4GHz
HOTSPOT	IEEE802.11 a/b/g/n Dual Band 2.4GHz/5 GHz
BLUETOOTH	Support, can receive signal up to 12M.
ANDROID OS	Android 8.0

PRODUCT DETAILS

screen display achieved through
HDMI/USB interfaces.



PRODUCT DETAILS

screen display achieved through
HDMI/USB interfaces.



FLEXIBLE CONNECTIVITY

screen display achieved through
HDMI/USB interfaces.



USB



HDMI



VGA



Touch



SD



MIC-IN



AV



Earphone




LAN

CONNECTOR DISPLAY

Rich interfaces can easily expand the conference scene. Connect the computer. Import the file. The display of large screen is not restricted.




Ops port



Front port



Side port



PRODUCT ACCESSORIES

The below spare parts are free.



Wall Mount



Remote Controller



Touch Pen




User manual



Power Cable



OPS



Charger plug (option)

DIFFERENT FLOOR STAND

Mobile Stand easy to install, solid structure and good looking, realize flexible movement for your interactive display, put your display wherever you want!

**A****B****C**

MOBILE STAND *A*



MOBILE STAND 32-55 INCH

Universal equipment is compatible with most 32" – 55" and holds up to 100 lbs. Fits VESA mounting hole patterns 100x100mm (4"x4") – 600x400mm (24"x16") .



MOBILE STAND *B*



MOBILE STAND 75-86 INCH

Make your equipment, Features lockable caster wheels for easy mobility and added security. Perfect for the home, office, school, airport, shopping mall, conference room, trade show, hotel, and more.



MOBILE STAND



MOBILE STAND 98-110 INCH

Easy to assemble, rolling utility cart assembly does not require holes to be drilled in the wall. Instruction manual and hardware included for frustration-free installation.

INSTALLATION METHOD

Two installation methods are available for different scenarios.



1.Measure



2.Painting



3.Drill hole



4.Pylons



5.Equipment



Wall mount bracket



Moving Stand (option)

APPLICATION SCENARIO

We will provide you with the most suitable equipment, which can be selected according to different scenarios.



Meeting



Design



Medical



Enlightenment



Education



Training



Finance



Research



Shopping

ELECTRONIC WHITEBOARD



Bring more interaction to the classroom,
a more lively classroom.

Suitable for enterprises to hold video conferences, etc.



20 Points Touch



Fast Response



IR Sensor




USB Power Supply



Durable Surface




Dust & Water Proof



Teaching Software



Easy Installation



ADVANTAGES OF ELECTRONIC WHITEBOARD


Ultra narrow high tensile aluminium frame with painting treatment, anti scratch and low weight. Arc plastic corner designed for kids protection.

INFRARED ELECTRONIC WHITEBOARD

Interactive teaching | Teach through fun | Infrared induction | Touch writing




OVERVIEW OF PRODUCT FEATURES



1

Multi Operating System Support



2

20 Point Touch



3

Multiple Formats Can Be Read




4

Play PPT



5

Support Multiple Languages



6

Multi Size


TEACHING APPLICATION OF ELECTRONIC WHITEBOARD

Various forms of expression, various tools (vehicles, biological images), image zooming in and out, screenshots, copies, different strokes, etc.



Rubber tool

Free screenshot



Multiple Shape Tools

Various Figures

WHY THE ELECTRONIC WHITEBOARD?

CHOICE REASON **1**

DUST REJECTION HAZARD

Not only beautiful and can avoid dust.



It replaces the dust concerns caused by traditional chalk and ash writing and allows you to complete an interactive class in a healthy environment.

WHY THE ELECTRONIC WHITEBOARD?

CHOICE REASON 2

INTERACTIVE TEACHING

Kids are more interested in participating.



VS

Traditional blackboard teaching is stiff, children are not interested in the interactive effect can improve learning enthusiasm and willing to participate in the interaction.

WHY THE ELECTRONIC WHITEBOARD?


CHOICE REASON 3

GENERAL SUBJECT TEACHING

Greatly save lecture efficiency.



VS



Powerful interactive software, with daily entry of 17 disciplines of knowledge, with a variety of auxiliary tools to edit, modify, demonstrate and experiment.

PRODUCTS SPECIFICATION

Parameter

MODEL	P82	P96
RATIO	4:3	16:9
EXTEMAL SIZE (MM)	1721*1241*38	2050*1241*38
ACTIVE AREA (MM)	1608*1128	1935*1128
PACKAGE SIZE (CM)	194*135*7	225*135*7
NET WEIGHT	16KG	22KG
GROSS WEIGHT	21KG	29KG
EXTERAL FRAME MATERIAL	Plastic (ABS materials: grey, orange, blue for choose)	
TOOCH TECHNOLOGY	Infrared Touch	
POINTS TOUCH	24 points touch	
HOTKEYS	36 hotkeys (18 each either side for left and right hand use)	
INTERFACE	USB2.0 or USB3.0	

PRODUCTS SPECIFICATION

Performance

RESOLUTION	32767*32767
LINEARITY ERROR	1.5mm
RESPONSIBLE TIME	8ms
RESPONSE SPEED	<20ms
INPUT METHOD	Finger, teaching point, or opaque objects
TOUCH TIMES	Unlimited
TOUCH ACTIVATION FORCE	No minimum touch activation force is required with IR touch technology
MINIMUM TOUCH OBJECT	5mm

Electrical

OPERATION VOLTAGE	Typical +DC 5V, +4.75V to +5.25V
POWER SUPPLY	USB, power ripple max.200mV rms
POWER	<2W, operating current<200mA
AGENCY APPROVALS	ISO9001, ISO14001, ISO18001, CE, FCC, RoHS

PRODUCT DETAILS OF ELECTRONIC WHITEBOARD



BUTTERFLY SHAPED



COMMON SHORTCUT KEYS



USB CABLE PLUG AND PLAY



SMOOTH NANO DESIGN

PRODUCT ACCESSORIES

The below spare parts are free.



Host



Stylus




Warranty card



White eraser






USB cable



Telescopic pointer

APPLICATION SCENARIO

We will provide you with the most suitable equipment, which can be selected according to different scenarios.



School classroom

SMART BLACKBOARD



With a new interactive flat panel, new firmware and app for class preparation and delivery, provides the total solution for all your educational needs.



Solution



20 Points Touch



Writing



4MM AG Glass



Multi People Interaction



4K Ultra HD

ADVANTAGES OF INTELLIGENT BLACKBOARD

Ultra narrow high tensile aluminium frame with painting treatment, anti scratch and low weight. Arc plastic corner designed for kids protection.

ALL IN ONE DESIGN WITH MULTIPLE FUNCTIONS

Include writing blackboard, capacity LCD touch screen,
computer.projector, audio, TV and ect.



Television



PC



Projector



Tablet



Whiteboard



Speaker


AUDIO-VISUAL COMBINED WITH MORE INTERESTING TEACHING

Through pictures, video, sound, animation, text and other forms of teaching Visual impact to fruit strong, stimulate children's interest in learning.



CHALK WRITING USES EASY ERASURE

Integrated stitching, the overall surface can use chalk, brush, dust-free chalk directly writing, erasing, cleaning handwriting; Automatic induction recognition, a large amount of water surface normal touch.



INTELLIGENT WHITEBORED 20 POINTS TOUCH

The digital whiteboard supports up to 20-point touch and object recognition. It recognizes when you use your finger, stylus, or palm, and then reacts on the screen as either a marker, thin pen, or eraser.



Intelligent Gesture



Back Hand
Wiping Gesture



Teaching Tools



Painting Function



4K RESOLUTION SUPER WIDE VIEW ANGLE

Ultra HD Resolution

3840*2160

Anti-glare

75"/ 86"/ 98"

178/178 View Angle


178° (H/V)



178 ° Viewing Angle

EMBEDDED DESIGN, DUSTFREE AND XPLOSION-PROOF

High-strength tempered glass. scratch resistant
& dust proof, with OGS display longer life span.



PLUG-IN OPS QUICK DISASSEMBLY

Dual OS supports one key switching to windows system, with the plug-in design, can be remove and assemble easily.



DIAL-AND-PLUG OPS QUICK DISASSEMBLY

Integrated stitching, the overall surface can use chalk, brush, dust-free
Dual system flexible switching, the host is modular design support hot
swap, can be removed separately, later equipment upgrade, convenient
and easy to maintain.




QR CODE SCAN & SCREEN SHARE

Quick QR scan to share by mobile, support multi-services to share screen and interact.



PRODUCT RENDERINGS

With a new interactive flat panel, new firmware and app for class preparation and delivery, provides the total solution for all your educational needs.



PRODUCTS SPECIFICATION

Parameter

PANEL SIZE	75 inches	86 inches	98 inches
PRODUCT SIZE (MM)	4200*1267*100	4200*1221*100	4500*1386*102
NET WEIGHT	115KG	108KG	162KG
GROSS WEIGHT	124KG	128KG	185KG
DISPLAY AREA (MM)	1649*928	1873*1056	2158*1214
MACHINE POWER	300W(MAX)	450W(MAX)	450W(MAX)
STANDBY POWER	1W		
BRIGHTNESS	450cd/m ²		
RESOLUTION	3840*2160		
VIEWING ANGLE	178 °		
POWER INPUT	100—240V/5A/60HZ/50HZ		
INTERFACE	TYB-C*1,HDIM*3,USB*2,RJ45*2,RS232*1,T OUCH USB*2		

INTERFACE USE

One machine with multiple functions, both sound and color, making work and study more enjoyable.



Androld module



Machine module



OPS module

PRODUCT ACCESSORIES

The below spare parts are free.



Blackboard Eraser



Capacitive Touch Pen



Specification



Remote Control



Antenna



Liquid Chalk



Expansion Bolt



Fixed Mounting Frame



Power Line

APPLICATION SCENARIO

We will provide you with the most suitable equipment, which can be selected according to different scenarios.



Office



Mechanism



School



Kindergarten



Exhibition

PACKAGING AND TRANSPORTATION



INTERACTIVE WHITEBOARD



sales23@sinopedoptronic.com



No. 863-11hunnan District, Shenyang City,
Liaoning Province, Shenyang, Liaoning, China



Official website